

# INDEX MAPS.

## T.14N. R.13E. 2<sup>nd</sup> Mer.

371	371	371	371	372	372
374 6 389	5 388	4 386	3 393	2 391	1 368
389	389	387	386	390	385
374 7 388	8 387	9 386	10 393	11 384	12 369
390	388	387	385	392	384
373 18 388	17 386	16 385	15 392	14 384	13 369
390	389	382	380	378	376
373 19 383	20 381	21 380	22 378	23 376	24 369
390	383	381	379	377	376
373 30 383	29 381	28 379	27 377	26 375	25 370
391	382	381	379	377	376
373 31 382	32 380	33 378	34 377	35 375	36 370
367	366 - 367	366 - 367	366 - 367	366 - 368	366 - 368

## T.15N. R.13E. 2<sup>nd</sup> Mer.

399 - 401	399 - 401	399 - 401	399 - 400	400	400
403 6 426	5 420	4 416	3 412	2 408	1 398
425	425	419	415	411	407
403 7 424	8 419	9 415	10 411	11 407	12 398
424	424	419	415	411	407
403 18 423	17 418	16 414	15 410	14 406	13 397
425	425	418	414	410	406
402 19 422	20 418	21 414	22 410	23 405	24 397
422	422	417	415	409	405
402 30 421	29 417	28 413	27 409	26 405	25 396
421	421	416	412	408	404
401 31 420	32 416	33 412	34 408	35 404	36 396
394	394	394	395	395	396

The figures on the lines refer to the page.

Township N. 14 North, Range N. 13 East 2<sup>nd</sup> Ma. Pa.

Township Lines.

South Boundary.

Monday Oct. 22<sup>nd</sup> 1880.

West On S. Side of Sec. 36. Rounder Line  
40.00 set tempy. gr. sec. post. level. 16 ac.  
66.50 a Brook 4<sup>th</sup> wide Course S.W.  
80.00 set tempy cor. to Secs. 35 & 36.

---

West On S. side of sec. 35.  
17.00 a Brook 8<sup>th</sup> wide Course N.W.  
40.00 set tempy. gr. sec. post. level land.  
62.50 a Brook 3<sup>th</sup> wide Course N.  
80.00 set post cor. to Secs. 34 & 35. (tempy.)

---

West On S. Side of sec. 34.  
16.00 a spring Course N.  
40.00 set tempy. gr. sec. post.  
52.00 a Brook 5<sup>th</sup> wide Course S.W.  
77.00 a Do. 30 " " " S.W.  
80.00 set tempy. gr. sec. post. (cor. 33 & 34.)  
Land, level. Beech Sugar Poplar &c.

---

West On S. side of sec. 33.  
4.00 a Brook 5<sup>th</sup> wide Course S.  
38.00 a Do. 5 " " " S.W.  
40.00 set gr. sec. post. tempy.  
80.00 set tempy. post cor. to Sec. 32 & 33.  
Land, level & rich Timb. Beech  
Sugar Poplar & Ash.

---

West On S. Side of sec. 32.  
5.00 a Brook 3<sup>th</sup> wide Course S.  
18.00 a Brook 25<sup>th</sup> wide Course N.W.  
Kept down it crooping after  
24.00 Left Brook running N.W.  
40.00 set tempy. gr. sec. post.

T. 14 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

80.00 Set temp. post cor. to Sec. 31 & 32. ~~from~~  
Land, level bottom. Timber.  
Beech Sugar Ash &c.

West On S. Side of Sec. 31.

40.00 Set temp. g. sec. post.

81.00 Intersect 210<sup>th</sup> N. of the Corner to  
Towns 13 and 14 North Ranges N.  
12 & 13. East.

Correct Line.

East On S. Side of Sec. 31.

40.00 Set g. sec. post, from which  
a Sugar 12 in. dia. bears N 16 W. 13 1/2<sup>th</sup> dist. X  
a Hickory 12 " " " S 85 E. 15 " "

80.00 Set post cor. to Sec. 31 & 32, from which  
a Beech 18 in. dia. bears N 46 E. 16 1/2<sup>th</sup> dist. X  
a Beech 12 " " " S 63 E. 28 " "

East On S. Side of Sec. 32.

40.00 Set g. sec. post, from which  
a Wh. Oak 12 in. dia. bears N 69 W. 12 1/2<sup>th</sup> dist. X  
a Do. 40 " " " S 36 E. 35 " "

80.00 Set post cor. to Sec. 32 & 33, from which  
a Beech 10 in. dia. bears S 67 W. 11 1/2<sup>th</sup> dist. X  
a Do. 8 " " " N 44 E. 16 " "

East On S. Side of Sec. 33.

40.00 a Beech 36 in. dia. bears S 9 E. 18 1/2<sup>th</sup> dist. X  
a Beech 16 " " " N 68 E. 21 " "

These are the g. Bearings above.

80.00 Set post cor. to Sec. 33 & 34, from which  
a Beech 20 in. dia. bears S 23 E. 20 1/2<sup>th</sup> dist. X  
a Do. 20 " " " N 74 W. 48 " "

East On S. Side of Sec. 34.

T. 14 N. R. 13 E. 2<sup>nd</sup> Mer. And<sup>g</sup>

40.00 Set gr. sec. post, from which  
a Beech 10 in. dia. bears N 33 W 17 lb. dist. X  
a Sugar 24 " " " S 46 E. 22 " "  
80.00 Set post Cor. to sec. 34 & 35, from wh.  
a Beech 12 in. dia. bears N 86 W. 34 lb. dist. X  
a Do. 8 " " " S 29 E. 34 " "

East On S. side of sec. 35.

40.00 Set gr. sec. post, from which  
a Sugar 30 in. dia. bears N 72 E. 8 lb. dist. X  
a Do. 8 " " " N 59 W. 11 " "  
80.00 Set post Cor. to sec. 34 & 35, fr. wh.  
a Beech 16 in. dia. bears S 21 W. 6 lb. dist. X  
a Do. 18 " " " S 78 E. 36 " "

East On S. side of sec. 36.

40.00 Set gr. sec. post, from which  
an Elm 10 in. dia. bears S 74 W. 26 lb. dist. X  
an Ash 16 " " " N 70 E. 28 " "

81.00 To Town. corner.

Surveyed in 1870.

By Alexander Holmes  
Deputy Surveyor.

East Boundary.

Oct. 20<sup>th</sup> 1870.

South On E. side of sec. 1.

7.00 a Brook 3 lb. wide Course E.

25.00 a Do. 3 " " " E.

40.00 Set gr. sec. post, from which  
a Beech 12 in. dia. bears N 88 W. 7 lb. dist. X  
a Poplar 14 " " " S 42 E. 9 lb. dist. X

57.50 a Brook 3 lb. wide Course E.

58.00 a Beech 14 in. diam.

80.00 Set post Cor. to Secs. 1 & 12, from which  
a Sugar 10 in. dia. bears N 65 W. 27 lb. dist. X



T. 14 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

ok. 40. a Walnut 9 in. dia. bears N 90 E, 28 lb. dith.  
Good Beech land.

## South Cen E. Side of sec. 12.

1.00 a Brook 20 lb. wide course S.E.

30.00 a Do. 10 " " " E.

40.00 Set q. sec. post, from which  
a Sugar 16 in. dia. bears S 48 W, 55 lb. dith. &  
a Beech 16 " " " N 15 E, 40 " "  
Hilly land, Timber: Beech Sugar  
Ash &c.

69.00 a Creek 50 lb. wide course E.

71.00 a Sugar 15 in. diam.

80.00 Set post Cor. to Secs. 12 & 13, fr. which  
a Beech 30 in. dia. bears S 45 E, 24 lb. dith.  
& a Dogwood 6 in. dia. N 52 W, 30 " "  
Land part bottom & part hilly land  
Timber: Sugar Oak Beech &c.

## South Cen E. Side of sec. 13.

8.00 a Brook 4 lb. wide course E.

40.00 Set q. sec. post, from which  
a Wh. Oak 30 in. dia. bears N 32 E, 13 lb. &  
an Ironwood 6 in. " " N 84 W, 12 " dith.

80.00 Set post Cor. to Secs. 13 & 24, fr. wh.  
a Mulberry 12 in. dia. bears N 84 E, 14 lb. dith.  
an Elm 14 " " " S 48 W, 25 " "  
Land Rich. Timber: Oak, Sugar  
and Hickory &c.

## South Cen E. side of sec. 24.

40.00 Set q. sec. post, from which  
a Beech 9 in. dia. bears N 12 W, 8 lb. dith.  
an Ash 14 " " " S 2 E, 27 " "

74.00 a Brook 10 lb. wide course E.

74.60 a Walnut 24 in. diam.

370

T. 14 N. R. 13 E. 2<sup>nd</sup> Mer. Ind <sup>a</sup>

40.00 Set post Cor. to sec. 24 & 25, from which  
a Beech 30 in. diam. bears N 28 W, 5 lbs. dist. &  
a Sugar 6 " " " N 42 W, 15 " "  
Land, 1<sup>st</sup> part, lower Oak land.  
2<sup>nd</sup> part, hilly. Timb. Oak Hickory  
and Sugar.

---

South On East Side Sec. 25.

40.00 Set gr. Sec. post, from which  
a Sugar 9 in. dia. bears S 45 W, 12 lbs. dist.  
a Beech 6 " " " N. 5 E, 23 " "  
55.00 a Creek 8 lbs. wide ers N. E.  
65.00 a Poplar 48 in. dia.  
80.00 Set post Cor. Secs. 25 & 26. from which  
a Hickory 8 in. dia. bears N 28 W, 23 lbs.  
a Beech 30 " " " S 10 W, 34 "  
Good Land, Timber Beech, Poplar, Oak,

---

South On E. Side Sec. 26.

35.00 a Creek 4 lbs. wide ers E.  
40.00 Set gr. Sec. post, from which  
a Beech 14 in. dia. bears S 89 E. 13 lbs.  
a Do 30 " " " N. 10 E 22 "  
68.50 a Creek 3 lbs. wide ers. E.  
80.00 Set post Cor. to Towns 13 & 14 in Range.  
13 & 14, from which  
a Beech 18 in. dia. bears North 28 lbs.  
a Do 16 " " " S 68 E, 16 "  
Low Beech Land  
Surveyed in 18 11.

By A Holmes  
Deputy Surveyor.

---

North Boundary

East On S. Side Sec. 31. T. 15 N. R. 13 E.

T. 14 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

- 0.20 a Creek 4 lks. wide ers. S.  
 8.50 To west Side of large pond 8.50 wide  
 Extending N. & S. about 30 lks. long,  
 crossed it near the middle at right angles  
 110.00 Set gr. sec. post. from which  
 a Sugar 16 in. dia. bears N. 49 W. 16 lks.  
 a Do 6 " " " S 81 E. 24 "  
 59.42 a Hickory 16 in. dia. Rich Bottom Land.  
 80.00 Set post cor. to Secs 31 & 32. from wh.  
 An Ash 8 in. dia. bears S 70 E. 19 lks.  
 a Sycamore 18 " " " N 64 W. 30 "

- East On S. Side Sec. 32. T. 15 N. R. 13 E.  
 5.00 a River 200 lks. wide ers. South  
 20.00 a Creek 1.00 lks wide } good Beech land.  
 110.00 Set gr. Sec. post, from which  
 An Ash 16 in. dia bears S 83 W. 44 lks.  
 a Thorn 6 " " " S 83 E. 32 "  
 80.00 Set post Cor. Secs. 32 & 33, from which  
 a Sugar 18 in. dia. bears S 83 E. 24 lks. Set  
 a Beech 8 " " " S 78 W. 28 " "

- East On S. Side Sec. 33. T. 15 N. R. 13 E.  
 15.00 a Spring ers N.  
 31.00 a Creek 4 lks. wide ers N.  
 36.00 a Do 3 " " " N. W.  
 110.00 Set post Cor. Secs. gr. Sec. from which  
 a Beech 10 in. dia bears N. 40 E. 16 lks.  
 a Do 14 " " " S 35 W. 37 "  
 53.39 a Poplar 50 in. dia.  
 80.00 Set post Cor. Secs. 33 & 34. from which  
 a Sugar 6 in. dia. bears N. 18 E. 12 lks  
 a Beech 24 " " " S 3 W. 44 "  
 Good Beech Land

- East On South Side Sec. 34. T. 15 N. R. 13 E.

T. 14 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

- 10.00 a Creek 3 lbs. wide crs. S.E.  
 13.00 a Do 3 " " " N.E.  
 25.00 a Do 4 " " " N.  
 26.50 a Do 8 " " " N.  
 40.00 Set gr. Sec. post, from which  
 a Beech 12 in. dia bears S 42 E, 12 lbs  
 a Do 24 " " " S 50 W, 31 "  
 71.50 a Spring crs. N.  
 80.00 Set post Cor. to Secs. 34 & 35, from wh.  
 a Poplar 28 in. dia. bears S 25 E, 30 lbs.  
 a Beech 20 " " " S 17 E 39 "  
 Good Beech Land.
- 

- East On S. Side Sec. 35. T. 15 N. R. 13 E.  
 31.30 a W. Oak 40 in. dia.  
 40.00 Set gr. Sec. post, from which  
 a Gum 16 in. dia. bears N 62 E, 10 lbs. but  
 a Beech 7 " " " S 82 W, 15 " "  
 72.50 a Creek 3 lbs wide crs. S.E.  
 80.00 Set post Cor. to Secs. 35 & 36. from wh.  
 a Beech 7 in. dia. bears N. 10 E 13 lbs. but  
 a Do 7 " " " S 6 E 20 " "  
 Good Beech Land
- 

- East On S Side Sec. 36. T. 15 N. R. 13 E.  
 5.50 a Creek 5 lbs wide crs. South.  
 40.00 Set gr. Sec post, from which  
 a Beech 18 in. dia. bears N 78 E, 14 lbs.  
 a Do 6 " " " S 60 W, 12 "  
 65.00 a Creek 3 lbs. wide crs. S.E.  
 80.00 Set post Cor. Towns 14 & 15 Ranges  
 13 & 14. from which  
 a Beech 18 in. dia bears N 29 E, 14 lbs  
 a Do 18 " " " S 60 W, 9 "  
 Good Beech Land.  
 Surveyed in 1810.



T. 14 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

By A. Holmes

Deputy Surveyor.

West Boundary

North An E. Side Sec. 36. T. 14 N. R. 12 E.

11.00 a Creek 30 lbs. wide crs. S.W.

40.00 Set post (Quarter sec) from which  
a Sugar 16 in. dia. bears S 21 W. 18 lbs.  
a Cherry 6 " " " N 68 E. 15 "

64.15 a Walnut 30 in. dia.

80.00 Set post Cor. Secs. 25 & 36. from which  
a Sugar 16 in. dia. N 80 E. 8 lbs. Set.  
a Beech 20 " " S 43 W. 22 " "

Level Rich Land Timber Sugar ash

North An E. Side Sec. 25. T. 14 N. R. 12 E.

21.00 a Sugar 16 in. dia.

40.00 Set gr. Sec post, from which  
an Elm 6 in. dia. bears S 19 W. 11 lbs.  
a Sugar 12 " " " N 13 E 9 "

60.00 a Pine crs. S.W. Old Indian Cornfield

80.00 a Thorn 6 in. dia. for Cor. to Secs 24 & 25  
an ash 30 in. dia. bears S 40 E. 27 lbs. Set.  
an ash 10 " " " West 25 lbs.  
Rich Land Timber Sugar & Elm

North An E. Side Sec. 24. T. 14 N. R. 12 E.

29.75 a W. Oak 12 in. dia.

40.00 Set gr. Sec. post, from which  
an Elm 15 in. dia. bears S 39 E. 24 lbs.  
a Thorn Bush 8 " " " N 42 W. 10 "

80.00 Set post Cor. to Secs. 13 & 24 from wh.  
a Sugar 16 in. dia. bears N 33 E. 29 lbs.  
an Elm 8 " " " S 47 W. 21 "

Good Land Timber Sugar, Elm, Oak

North An E. Side Sec. 13. T. 14 N. R. 12 E.

374

T. 14 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

- 40.00 Set q. Sec. post, from which  
a W. Oak 16 in. dia bears S 40 W, 23 lbs  
an Oak 16 " " " N 34 W, 19 "
- 45.00 a Sugar 16 in. dia.
- 50.00 Set post cor. to Secs. 12 & 13. fr. wh.  
an Elm 8 in. dia. bears S 27 W, 3 lbs  
a W. Oak 16 " " " N 28 W, 15 "
- Level Rich Land Timber Oak, Hickory  
Walnut.

North An E. Side Sec. 12, T. 14 N. R. 12 E.

- 19.50 a Walnut 24 in. dia.
- 40.00 Set post (Quarter Section) from which  
a Sugar 12 in. dia bears N 39 W, 10 lbs  
a Do 16 " " " S 55 E, 26 "
- 62.00 an Elm 24 in. dia.
- 72.50 a Creek 20 " " " " " "
- 80.00 Set post cor. to Secs 1 & 12. from which  
a Buckeye 18 in. dia. bears N 9 W, 12 lbs.  
an Oak 18 " " " " S 28 E, 24 "
- Point into Bottom Land Timber Sugar  
Oak, Elm.

North An E. Side Sec. 1, T. 14 N. R. 12 E.

- 40.00 Set q. Sec. post, from which  
an Elm 18 in. dia bears S 81 E, 12 lbs  
a Sugar 8 " " " " N 53 W, 12 "
- 53.50 a Walnut 30 in. dia.
- 75.00 a Creek 4 1/2 m wide " " S. E.
- 79.50 a Do 4 " " " " S. W.
- 80.00 Set post cor. to Towns 14 & 15 Range  
12 & 13, from which  
a Sugar 14 in. dia. bears N 58 W, 26 lbs  
an Elm 24 " " " " S 15 E, 27 "
- Rich Level Land Timber Sugar, Walnut,  
Elm, ash &c

T. 14 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

chs. W. Surveyed in 1840

By A. Holmes.

Deputy Surveyor

### Subdivisions

Var. run

North Between Secs. 35 & 36.

24.30 a Poplar 36 in. dia.

40.00 Set gr. Sec. post, from which  
a Beech 20 in. dia. bears S 28° W, 15 lbs  
a Do 12 " " " North 10 "

65.80 a Stream 12 lbs wide cor. W.

80.00 Set post cor. Secs. 25 & 26, <sup>35 & 36.</sup> from wh.  
a Beech 8 in. dia. bears N 44° E, 18 lbs  
a Do 12 " " " S 73° W 20 "  
Our level Beech & poplar Land

East An Random bet. Secs. 25 & 36.

40.00 Set Temp. gr. Sec post

79.80 Intersected cr. & S line 20 lbs S. of post

West Correct line bet. Secs. 25 & 36.

39.90 Set gr. Sec. post from which  
a Beech 24 in. dia. bears N 55° W, 37 lbs  
a Sugar 16 " " " S 54° E, 10 "

79.80 Section corner  
Our level Beech & poplar Land

North Between Secs. 25 & 26

40.00 Set gr. Sec. post, from which  
a Beech 16 in. dia. bears S 16° W, 18 lbs.  
An Elm 12 " " " N 21° E, 25 "

51.40 a Red Oak 40 in. dia.

52.00 a Stream 12 lbs. wide cor. E.

80.00 Set post cor. Secs. 23, 24, 25 & 26.  
a Beech 15 in. dia. bears N 55° W, 44 lbs

376

T.H.N. No. 13 E. 2<sup>nd</sup> Mer. Indiana.

a Beech 15 in. dia bears S 65 E, 34 ths  
Level Beech and Poplar Land

---

East On Mandom bet Secs. 24 & 25.  
40.00 Set Temp. gr. Sec. post  
66.50 a Stream 25 ths wide crs N.E.  
80.00 Intersected N & S. line 15 ths S. of post

---

West Correct line bet. Secs. 24 & 25 -  
15.00 a Blue Ash 12 in. dia.  
40.00 Set gr. Sec. post, from which  
a Hickory 15 in. dia. bears N 36 W, 14 ths  
a Sugar 9 " " " S 36 E, 10 "  
80.00 Section Corner  
Broken Beech & Poplar Land

---

North Between Secs. 23 & 24.  
10.05 a Beech 12 in. dia.  
40.00 Set gr. Sec. post, from which  
a Beech 8 in. dia bears N 27 W, 23 ths  
58.00 a Beech 6 " " " South 30 "  
" a poplar 3 in. dia.  
80.00 Broken Beech & Oak Land  
Cor. to sec. 13, 14, 23 & 24 fr. wh. a wh. oak 48 - N 20 W - 28 ths dist. x  
a Beech 15 S 20 E, 17 " "

---

East Between Secs. 13 & 24, on Mandom  
40.00 Set gr. Sec. post Temp.  
80.00 Intersected N & S line 25 ths S. of post  
Level wet Oak Land

---

West Correct line bet. Secs. 13 & 24  
37.50 a Beech 15 in. dia.  
40.00 Set gr. Sec. post, from which a  
Beech 6 in. dia for post  
80.00 Section Corner

---

Returned South to Secs. 34 & 35 Range  
13 & 14 Close of December 12<sup>th</sup>



T<sub>14</sub> N. R. 13 E. 2<sup>nd</sup> M. Indiana.

North Between Secs. 34 & 35.

13.50 a Stream 6 lks wide runs S.W.

40.00 Set gr. Sec. post, from which  
a Poplar 18 in. dia bears N<sup>orth</sup> 3 lks  
a Beech 6 " " " East 10 lks.

65.00 a Stream 5 lks wide runs S.W.

80.00 Set post Cor. to Secs. 26 & 27<sup>34x35</sup> fr. wh.  
a Beech 30 in. dia bears N<sup>orth</sup> 52 W. 27 lks  
a Do 8 " " " S 36 E. 10 "  
Level Beech & poplar land

East Between Secs. 26 & 35. Random

40.00 Set Temp. gr. Sec. post

79.90 Intersected cr & S line at post

West Between Secs. 26 & 35 correct line

39.95 gr. Sec. post, from which  
a Beech 8 in. dia. bears S 78 W. 11 lks  
a Hickory 6 " " " S 73 E. 10 "

42.00 a Beech 15 in. dia.

79.90 Section corner.  
Level Beech & poplar land

North Between Secs. 26 & 27.

40.00 Set gr. Sec. post, from which  
a Beech 7 in. dia bears N 60 W. 19 lks  
a Do 20 " " " S 69 E. 20 "  
Level Beech land

80.00 Set post Cor. to Secs. 22 & 23. fr. which  
a Beech 18 in dia bears N 55 E. 30 lks  
a Do 12 " " " S 9 W. 12 "  
Level Beech land,

East On Random Bet. 23 & 26.

40.00 Set Temp. gr. Sec. post

80.00 Intersected cr & S line 26 lks N. of post

378

S.W. 1/4 Sec. 13 E. 2<sup>nd</sup> Mer. Indiana.

Level Beech & Maple Land

---

West Corner line bet. Secs. 23 & 26  
40.00 Set gr. Sec. post, from which  
a Beech 15 in. dia. bears S 66 E, 15 lbs  
a Do 15 " " " N 66 W, 25 "  
50.10 a Beech 15 in. dia.  
80.00 Section Corner.

---

North Between Secs. 22 & 23.  
34.42 a Hickory 20 in. dia.  
40.00 Set gr. Sec. post, from which  
a Sugar 13 in. dia bears S 16 E, 61 lbs  
a Do 12 " " " N 4 W, 40 "  
53.00 a Beech 15 lbs wide ers E.  
59.50 a Do 30 lbs. wide ers N. E.  
50.00 Set post Cor. Secs. 14 & 15 22 & 23 fr. wh.  
a W. Oak 30 in. dia bears S 14 W, 13 lbs  
a Do 12 " " " N 40 E, 38 "  
Broken Beech Land.

---

East An Random bet Secs. 14 & 23.  
75.50 a Stream 20 lbs wide ers North  
30.00 a Do 30 " " " N. E.  
40.00 Set Temp gr. Sec. post  
79.50 Intersected cr & S line 50 lbs. cr. of corner

---

West Corner line bet. Secs. 14 & 23.  
39.75 Set gr. Sec. post, from which  
a W. Oak 36 in. dia bears N 45 E, 17 lbs  
a Sugar 12 " " " S 45 W, 40 "  
79.50 Section Corner. Dec. <sup>13<sup>th</sup></sup> 1810.

---

North Between Secs. 33 & 34.  
40.00 Set gr. Sec. post, from which  
a Sugar 48 in. dia. bears N 12 W, 32 lbs

T. 14 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

Ch. Sk. a Beech 15 in. dia bears S 47 E, 14 lbs  
 80.00 Set post cor. to Secs. 33 & 34 27 & 28.  
 a Beech 12 in. dia. bears S 80 W, 21 lbs  
 a Sugar 15 " " " S 67 E, 31 "  
 Broken Beech & Poplar Land

---

East On Random between Secs. 27 & 34.  
 40.00 Set Temp. gr. Sec. post  
 79.00 Intersected cr. & S line at post

---

West Correct line bet. Secs. 27 & 34,  
 39.50 Set gr. Sec. post, from which  
 a Sugar 24 in dia bears S 83 E, 18 lbs.  
 a Do 16 " " " South 16 "  
 79.00 Section corner,  
 Broken Beech, Land,

---

North Between Secs. 27 & 28.  
 15.00 a Beech 24 in. dia.  
 40.00 Set gr. Sec. post, from which  
 a Blue Ash 6 in. dia bears N 27 E, 14 lbs  
 a Hickory 15 " " " S 54 W, 20 "  
 80.00 Set post cor. to Secs. 21 & 22 27 & 28.  
 a Sugar tree 30 in. dia. bears South 3 lbs.  
 a Do " " " " West 20 "  
 Land incl. Timber Beech. Sugar tree  
 Poplar &c.

---

East On Random bet. Secs. 22 & 27  
 40.00 Set Temp. gr. Sec. post  
 80.00 Intersected cr. & S line at corner.  
 Broken Beech Land

---

West Correct line bet. Secs. 22 & 27.  
 40.00 Set gr. Sec. post, from which  
 a Beech 7 in. dia. bears South 14 lbs.

T. 4 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

80.00 a Beech 7 in. dia bears North 17.  
Section Corner.

North Between Secs. 21 & 22.

21.50 a Beech 10 in. dia.

40.00 Set gr. Sec. post, from which  
a Beech 12 in. dia bears N 52 E 28 ths  
a Sugar 12 " " " S 52 W 7 "

80.00 Set post cor. to Secs. 15, 16, 21 & 22.  
a Beech 6 in. dia. bears S 24 E 24 ths  
a Do 12 " " " N 5 E 4 "  
Land level Timber Beech, poplar,  
ash &c.

East On Random bet. Secs. 15 & 22.

40.00 Set temp. gr. Sec. post

65.00 a Stream 10 ths. wide runs South

80.20 Intersected N & S line at post.

West Correct line bet. Secs. 15 & 22.

34.46 a poplar 36 in. dia.

40.10 Set gr. Sec. post, from which  
a Beech 12 in. dia bears N 68 E 27 ths  
a Do 24 " " " S 68 W 24 "

80.20 Section Corner. Dec. 15<sup>th</sup> 1810.

North Between Secs. 32 & 33.

10.20 a Beech 10 in. dia.

40.00 Set gr. Sec. post from which  
a Beech 10 in. dia bears N 24 E 2 ths  
a Do 16 " " " S 24 W 26 "

70.00 a Creek 25 ths wide runs West

80.00 Set post cor. to Secs. 28 & 29 32 & 33.  
a Sugar 20 in. dia bears S 63 E 14 ths  
a Beech 6 " " " N 63 W 11 "  
Rich ash, Sugar & Poplar Land



T. 14 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

East Between Secs. 28 & 33. on Random  
 40.00 Set Temp. gr. Sec. post  
 79.50 Intersected N & S line 10 lbs S of post  
 Broken Beech, Land

---

West Between Secs. 28 & 33.  
 39.75 Set gr. Sec. post, from which  
 a Poplar 48 in. dia bears N 26 W 26 lbs.  
 a Sugar 10 " " " West 9 lbs.  
 79.50 Section corner.

---

North Between Secs. 28 & 29.  
 25.20 a Hickory 20 in. dia.  
 40.00 Set gr. Sec. post, from which  
 a Red Oak 4 in. dia. bears North 22 lbs.  
 a Beech 12 " " " N 73 E, 11 "  
 80.00 Set post Cor. Secs. 20, 21 28 & 29  
 a Beech 24 in. dia bears S 34 W, 8 lbs  
 a Sugar 6 " " " N 65 E, 26 "

---

East On Random bet. Secs. 21 & 28.  
 40.00 Set Temp. gr. Sec. post.  
 80.00 Intersected N & S line at corner,  
 Over Broken Beech, & Poplar Land.

---

West Between Secs. 21 & 28 corner line  
 40.00 Set gr. Sec. post, from which  
 a Beech 15 in. dia. bears S 26 W, 8 lbs  
 a Do 24 " " " N 18 E, 21 "  
 80.00 Section corner.

---

North Between Secs. 20 & 21.  
 11.50 a Hickory 18 in. dia.  
 40.00 Set gr. Sec. post, from which  
 a Beech 18 in. dia bears S 23 W, 11 lbs.  
 a Sugar 10 " " " S 24 E, 25 "

382

T. H. N. No. 13 E. 2<sup>nd</sup> Mer. Indiana.

80.00 Set post Cor. Secs. 16 & 17 20 & 21.  
 a Beech 10 in. dia bears N 6 E, 19 lbs  
 a Do 6 " " " S 6 W, 13 "

---

East On Random bet. Secs. 16 & 21.  
 40.00 Set Temp. gr. Sec. post.  
 80.00 Intersected N & S line at post  
 Level Rich Beech & Poplar Land

---

West Correct line bet. Secs. 16 & 21.  
 40.00 Set gr. Sec. post, from which  
 a Gum tree 30 in. dia bears N 5 W, 12 lbs  
 a Beech 15 " " " S 5 E, 17 "  
 56.70 a Do 20 in. dia.  
 80.00 Section corner.

---

North Between Secs. 31 & 32.  
 37.50 a Stream 25 lbs wide on west  
 40.00 Set gr. Sec. post, from which  
 a Sugar 10 in. dia bears S 34 E, 31 lbs.  
 a Beech 15 " " " S 66 W, 15 "  
 80.00 Set post Cor. Secs. 29, 30 31 & 32  
 a Buckeye 15 in. dia. bears N 60 W, 27 lbs  
 a Sugar 15 " " " S 16 E, 34 "  
 Marshy Bottom Land

---

East On Random bet. Secs. 29 & 32.  
 40.00 Set Temp. gr. Sec. post.  
 79.90 Intersected N & S line 10 lbs. N. of post  
 Broken Beech Land

---

West Correct line bet. Secs. 29 & 32.  
 39.95 Set gr. Sec. post, from which  
 a Beech 15 in. dia. bears N 30 E, 18 lbs  
 a Do 12 " " " S 54 W, 17 "  
 62.20 a Beech 12 in. dia.

T. 14 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

79.90 Section Corner.

North Between Secs. 29 &amp; 30.

30.00 a Sugar 24 in dia.

40.00 Set gr. Sec. post, from which  
a Beech 15 in. dia bears N 11 E, 14 lbs  
a Hickory 15 " " " S 11 W, 26 "80.00 Set post Cor. Secs. 19 & 20 29 & 30.  
a Buckeye 12 in. dia bears S 8 E, 21 lbs  
a Buckeye 13 " " " N 25 E, 17 lbs.  
Level Rich Land Timber Beech, Ash,  
Walnut &c.

East On Random bet Secs. 20 &amp; 29.

40.00 Set Temp. gr. Sec. post.

80.00 Intersected N & S line at post  
Broken Beech Land

West Between Secs. 20 &amp; 29.

40.00 Set gr. Sec. post from which  
a Beech 9 in. diam. bears N 48 E, 12 lbs  
a Beech 6 in. dia " S 48 W, 12 "

80.00 Section Corner.

North Between Secs. 19 &amp; 20.

40.00 Set gr. Sec. post, from which  
a Beech 10 in. dia bears N 76 E, 26 lbs  
a Do 10 " " " S 76 W, 6 "80.00 Set post Cor. Secs. 17 & 18 19 & 20.  
a Gum 12 in. dia bears S 37 W, 15 lbs  
a Beech 4 " " " N 32 E, 12 "

East Between Secs. 17 &amp; 20 on Random

40.00 Set gr. Sec. post, from which (temp.)

80.00 Intersected N & S line at corner  
Level Beech & Poplar Land

T. H. N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

W. 4<sup>th</sup>

West Corner line between Sec. 17 & 20.

40.00 Set q. sec. post, from which  
a Beech 15 in. dia. bears N 1 E. 7 1/2 lb. dist. X  
a Poplar 20 " " " West, 12 " "

80.00 Section corner.

December 16<sup>th</sup> 1810.

North Between Sec. 13 & 14.

16.00 a stream 10 lb. wide course W.

39.00 a do. 30 " " " E.

40.00 set q. sec. post, from which  
a Spruce 8 in. dia. bears N 66 W. 30 lb. dist. X  
a Sycamore 15 in. dia. " N 36 E. 28 " "

80.00 To a Beech 8 in. dia. for post cor. to  
sec. 13, 11, 12 & 14.

Land Broken. Timbered Oak.

East On Kandom between Sec. 12 & 13.

40.00 Set temp. q. sec. post.

55.00 To a stream 30 lb. wide course N 45 E.

79.85 Intersect N & S. line 20 lb. N. of post  
Timbered Oak & Beech. Land Broken.

West Corner line between Sec. 12 & 13.

20.00 a Wh. Oak 12 in. diam.

39.92 set q. sec. post, from which  
a Wh. Oak 6 in. dia. bears N 15 W. 17 lb. X  
a cherry 12 " " " N 46 E. 20 lb.

79.85 Section corner.

North Between Sec. 11 & 12.

21.01 a Wh. Oak 20 in. diam.

40.00 set q. sec. post, from which  
a Beech 9 in. dia. bears N 17 E. 24 lb. dist. X  
a Wh. Walnut 1 in. " " N 3 W. 28 " "

Land, level. Timbered Oak.



T. 14 N. R. 13 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

80.00 Set post loc. to Sec. 1, 2, 11 & 12, fr. which  
a Hickory 12 in. dia. bears N 25 W. 8 lb. dist.  
& a Beech 12 " " " N 35 E. 48 " "  
Level Oak land.

East On Random between Sec. 1 & 12.  
40.00 Set temp. y. gr. sec. post.  
80.00 Intersect N & S. line 50 lb. N. of post.  
Broken Oak land.

West Correct line between Sec. 1 & 12.  
40.00 Set gr. sec. post from which  
a Poplar 18 in. dia. bears S 32 W. 16 lb. dist.  
& a Beech 15 " " " N 37 E. 22 " "  
80.00 Section Corner.  
For lines between Sec. 1 & 2 & 12, see end of Township.

North Between Sec. 15 & 16.  
40.00 Set gr. sec. post. from which  
a Blue Ash 30 in. dia. bears N 61 E. 8 lb. dist.  
& a Sugar 15 in. dia. bears S 61 W. 10 lb. dist.  
80.00 Set post loc. to Sec. 9, 10, 15, & 16, from which  
a Beech 15 in. dia. bears S 19 E. 12.5 lb. dist.  
a Hickory 30 in. dia. " N 37 W. 31 " "  
January 11<sup>th</sup> 1811.

East On Random between Sec. 10 & 15.  
40.00 Set temp. y. gr. sec. post.  
80.10 To N & S. line 10 lb. N. of post.  
Level Beech and Poplar land.

West Correct line between Sec. 10 & 15.  
40.05 Set gr. sec. post. from which  
a Bl. Walnut 12 in. dia. bears S 39 W. 20 lb.  
& an Elm 16 in. dia. bears N 39 E. 20 lb. dist.  
54.20 a Poplar 20 in. dia.  
80.10 Section Corner.

T. H. N. No. 13 E. 2<sup>nd</sup> Mer. Indiana.

North Between Sec. 9 &amp; 10.

40.00 set gr. sec. post, from which  
 an Ash 18 in. dia. bears N 75 W. 3 lb. dist. and  
 a Beech 16 " " " S 75 E. 9 " "  
 50.00 set post cor. to Sec. 3, 4, 9 & 10, from which  
 a Beech 12 in. dia. bears S 81 W. 36 lb. dist. A  
 a Beech 12 " " " N 81 E. 13 " "  
 Land — — — —

East On Random betw<sup>n</sup> Sec. 3 & 10.

40.00 set temp. gr. sec. post.  
 79.80 Intersect N & S line 11 lb. S. of post.  
 Land, level. Timber Beech & Poplar.

West Corner line betw<sup>n</sup> Sec. 3 & 10.

39.90 set gr. sec. post, from which  
 a Poplar 4 8 in. dia. bears N 22 E. 21 lb. dist.  
 a Beech 15 " " " S 40 W. 25 " "  
 68.70 a Do. 20 " "  
 79.80 Section Corner.

North Between Sec. 3 &amp; 4.

40.00 Set gr. sec. post, from which  
 a Beech 5 in. dia. bears for post, from which  
 a Do. 3 " " " bears West 20 lb. dist.  
 79.00 Intersect North Boundary of the Town-  
 ship at post.  
 Land, level. Beech & Poplar.  
 Close of the 11<sup>th</sup> of January 1871.

North Between Sec. 16 &amp; 17.

40.00 Set gr. sec. post, from which  
 a Beech 12 in. dia. bears North 2 lb. dist.)  
 a Do. 3 " " " S 32 E. 23 " "  
 50.00 set post cor. to Sec. 8, 9, 16 & 17. from wh.  
 a Poplar 60 in. dia. bears N 12 W. 24 lb. dist.)

T. 14 N. R. 13 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Ch. 10. a Beech 11 in. dia. bears South 39<sup>th</sup> W. dist.  
Land level, Timb. Beech & Poplar.

East On Random between Sec. 9 & 16.

40.00 Set temp. gr. sec. post.

80.00 To N. & E. line at post.

Land, level. Timb. Beech & Poplar.

West On Random between Sec. 9 & 16.

40.00 Set gr. sec. post. from which (temporary)  
a Water Beech 6 in. dia. bears South 2<sup>nd</sup> W. dist.  
a Beech 3 " " " West, 32 " "

80.00 Section Corner.

North Between Sections 8 & 9.

11.25 a Wh. Oak 60 in. diam.

40.00 Set gr. sec. post. from which  
a Beech 20 in. dia. bears N 6 W. 31 W. dist.  
a Do. 6 " " " N 6 W. 15 " "

80.00 Set post cor. to Sec. 4, 5, 8 & 9, from wh.  
a Beech 8 in. dia. bears N 0 E. 17 W. dist.  
a Beech 15 " " " N 26 W. 8 " "  
Broken Beech land.

East Between Sec. 4 & 9. on Random

40.00 set temp. gr. sec. post.

79.90 To N. & E. line at post.

Land, level, soil rich. Timb.  
Beech Poplar Ash &c.

West Correct line between Sec. 4 & 9.

39.95 Set gr. sec. post. from which  
a Beech 20 in. dia. bears N 6 W. 28 W. dist.  
a Do. 8 " " " S 29 W. 5 " "

65.20 a Do. 12 " " "

79.90 Sec. cor.

S. 14 N. 16. 13 E. 2<sup>nd</sup>. Mer. Indiana.

North Between sections 4 & 5.  
 5.00 a Beech 24 in. diam.  
 40.00 Set q. sec. post from which  
 a Beech 10 in. dia. bear N 65 E 20 lb. dist. X  
 a Do. 18 " " " S 75 W 34 " "  
 79.00 Intersect N. Boundary at post.  
 Level Beech & Poplar land.  
 Close of Jan'y. 12<sup>th</sup> 1871.

---

North Between Sec. 17 & 18.  
 20.00 a Sugar 20 in. diam.  
 40.00 Set q. sec. post from which  
 a Sugar 15 in. dia. bear N E. 24 lb. dist. X  
 a Buckeye 15 " " " N 77 W 24 " "  
 80.00 Set post on to Sec. 7, 8, 17 & 18. fr. wh.  
 a Hickory 10 in. dia. bear S 31 W 22 lb. dist.  
 an Elm 16 " " " N 77 E. 25 " "  
 Land, level Beech and Poplar.

---

East On Road <sup>on</sup> between Sec. 8 & 17.  
 40.00 Set q. sec. post from which (temp'y.)  
 80.00 Intersect NW. line at post.  
 Land, as above.

---

West Correct line betw. Sec. 8 & 17.  
 40.00 Set q. sec. post from which  
 a Beech 10 in. dia. bear N 40 W 7 lb. dist. X  
 an Ash 10 " " " S 60 E. 16 " "  
 42.50 a Poplar 36 in. diam.  
 80.00 Sec. Cor.

---

North Between sections 7 & 8. (wide c. o. m.)  
 23.00 To the West Bank of White Water 2 chs.  
 35.00 To same River 2 chs. wide S. P. E.  
 40.00 Set q. sec. post from which  
 a Cottonwood 36 in. dia. bear N 29 E. 61 lb. dist.



T. 44 N. R. 13 E. 2<sup>nd</sup> Mer. Ind<sup>ca</sup>

68.00 a Boxelder 10 in. dia. bears N 89 W. 29 lb. dist. &  
 80.00 To said River 150 lb. wide crs. S. W.  
 Set post Cor. to Secs. 5, 6, 7 & 8, from wh.  
 a Honey Locust 12 in. dia. bears N 45 W. 14 lb. dist.  
 & a Bl. Ash 15 " " " S 98 E. 18 " "  
 Broken low Bottom.

East On Random between Secs. 5 & 8.  
 14.50 To the West fork of the White Water  
 River 150 lb. wide course S.  
 40.00 Set tempy. gn. sec. post.  
 Land, level bottom. Timber: Ash and  
 Walnut &c.  
 79.60 Intersect N & S line 40 lb. N. of post.  
 Land, bushy & rate bottom.

West Correct line between Secs. 5 & 8.  
 39.80 set gn. sec. post. from which  
 a Beech 6 in. dia. bears North 2 lb. dist. &  
 a Do. 4 " " " S 36 W. 23 " "  
 79.60 Sec. cor.

North Between Secs. 5 & 6.  
 20.00 To W. fork of White Water 150 lb. wide C. E.  
 39.00 To said River 150 lb. wide C. S. W.  
 40.00 No corner can be made  
 65.00 To said River & runs in it 5 chains &  
 the line comes out on the same side  
 79.50 To North Boundary 12 lb. W. of post &  
 a Boxelder 6 in. diam. for post corner  
 to Secs. 5 & 6, no other timber being  
 handy,  
 Land, Broken overflowed Bottom  
 Close of Jan'y. 14<sup>th</sup> 1871.

West Between sections 6 & 7.

T. 4 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

- 40.00 set q. sec. post, from which  
 a Buckeye 12 in. dia. bears N 6 E. 3 lb. dist. ✓  
 a Wh. Oak 16 " " " 46 W. 21 " "  
 Level Rich Walnut Bottoms.
- 74.75 To West Town Boundary 150 lb. North  
 of post, & set post cor. to sec. 6 & 7,  
 from which  
 a Buckeye 8 in. dia. bears S 3 W. 14 lb. dist. ✓  
 a Hickory 6 " " " 14 W. 22 " "  
 Land, level rich bottom as above.

West Between Secs. 7 & 18.

- 39.60 To N. Fork of White Water 2 chains wide  
 Course South.
- 40.00 50 links in the River witnessed by  
 a Willow 9 in. dia. bears N 80 W. 50 lb. dist. ✓  
 a Cottonwood 9 in " " 80 W. 50 " "  
 78.00 To Town Boundary line 1 chain  
 north of post, where a Hackberry 12  
 in. diam. for post cor. to sec. 7 & 18.  
 Land, level Bottom.

West Between Secs. 18 & 19.

- 35.50 To the N. fork of White Water 2 chr. wide  
 Course South.
- 40.00 set q. sec. post, from which  
 a Hackberry 9 in. diam. bears North 6 lb. dist. ✓  
 a Red Bud 8 " " " South 7 " "  
 78.50 To W. Town Boundary 45 lb. N. of post ✓  
 set post cor. to Sec. 18 & 19, from which  
 a Sugar 9 in. dia. bears South 26 lb. dist. and  
 a Walnut 15 in. dia. " North 64 " "  
 Rich level Bottom.

West Between Secs. 19 & 20.

- 40.00 set q. sec. post, from which

T. 14 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

- 40.00 Set q. sec. post from which  
a Hackberry 24 in. dia. bears S 66 W. 16 lks. dist.  
a Beech 10 in. dia. bears South 23 " "
- 61.00 To W. Fork of White Water 2 ch. S. South.
- 78.50 To W. Town Boundary line 150 lks. North  
of post & set post cor. to Sec. 19 & 30, from which  
a Hackberry 12 in. dia. bears S 29 W. 40 lks. dist.  
a Do. 18 " " " S 46 E. 26 " "  
Land, level Rich Bottom as before.

West Between Sec. 30 & 31.

- 5.00 a stream 25 lks. wide course N.
- 29.50 a stream (same) 25 lks. wide course S.
- 40.00 Set q. sec. post from which  
a Beech 6 in. dia. bears N 40 E. 6 lks. dist.  
a Blue Ash 5 in. " " S 4 E. 6 " "
- 78.40 Intersect West Town Boundary line  
at post cor. to Sec. 30 & 31.  
Land level Rich Bottom.  
Close of the 15<sup>th</sup> of January 1811.

Note. In this Township near the center  
of section N. 23 is a Wh. Oak tree  
8 feet. or 96 inches in diameter.

Pursuant to a contract with and  
instructions from Jared Mansfield, Surveyor  
General of the United States, bearing  
date the      day of      1811, I have  
admeasured laid out and surveyed the  
above described Township and I do  
hereby certify that it had such marks  
and bounds as are represented therein  
and returned to the Surveyor General's  
Office which was taken when in

392

T. 14 N. R. 13 E. 2<sup>nd</sup> Mer. Sec. 11

the field. Certified this first day of  
February 1811 by me  
Emanuel Vantrief  
Deputy Surveyor.

---

These lines were united in proper place  
North (Between Sec. 14 & 15.

40.00 Set gr. Sec. post, from which  
a Wh. Oak 36 in. diam. bears N 75 W, 3 1/2 bl. dist. &  
a Beech 9 " " " S 75 E, 15 " "

61.25 a Poplar 24 in. diam.

79.50 Intersect N. Boundary 50 bl. E. of post.  
where a Beech 15 in. diam. for post Cor.

To sections 1 & 2. Dec. 17<sup>th</sup> 1810.

Broken Beech & Oak land.

---

North (Between Sec. 14 & 15.

38.00 a stream 15 bl. wide runs N.E.

40.00 Set gr. Sec. post, from which  
an Elm 48 in. diam. bears S 59 W, 12 bl. dist. &  
a Sugar 12 " " " N 59 E, 5 " "

73.00 a stream 20 bl. wide course S.E.

80.00 Set post, Cor. to Sec. 10, 11, 14 & 15, from which  
a Buckeye 12 in. diam. bears S 35 W, 19 bl. dist. &

a Wh. Oak 15 " " " N 68 E, 22 " "

Land, level & Rich Timb. Ash and  
Sugar &c.

---

East On Meander between Sec. 11 & 14.

40.00 Set temporary gr. Sec. post.

80.00 Intersect N & S. line 10 bl. N. of post.  
Level Oak land.

---

West Correct line between Sec. 11 & 14.

40.00 Set gr. Sec. post, from which  
a Wh. Oak 12 in. dia. bears S 22 E, 14 bl. dist. &



T. 14 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

Chs. Shs. a wh. Oak 6 in. dia. bears North, 21 Chs. dist.  
80.00 Sec. Cor.

North Between Sections 10 & 11.

40.00 Set q. Sec. post. from which

a Bl. Ash 15 in. diam. bears N 44 W, 10 Chs. dist. and

a wh. Oak 15 " " " N 44 E, 3 1/2 " "

80.00 Set post Cor. to Sect. 2, 3, 10 & 11, from which

a Beech 10 North 20 & a wh. Oak 12 South 6 Chs. dist.

Broken Oak & Beech land.

East On Meander between Sect. 2 & 11.

40.00 set temp. q. Sec. post.

80.00 Intersect N & E. line 60 Chs. N. of post.

Level Oak & Poplar land.

West Correct line between Sect. 2 & 11.

4.90 a Beech 15 in. diam.

40.00 Set q. Sec. post. from which

a B. Oak 10, N 43 W, 16 Chs. & a gum 15, S 53 E, 3 Chs. dist.

80.00 Sec. Cor.

North Between Sections 2 & 3.

10.50 a Poplar 15 in. diam.

40.00 Set q. Sec. post. from which

an Ash 10, South, 3 Chs. & a Beech 10, North 100 Chs. dist.

79.00 To North Boundary at post.

Emmanuel Vantrass, D. S. Dec. 16<sup>th</sup> 1810.

I certify that the foregoing transcripts of field notes of Township N. 14 N. R. 13 E. 2<sup>nd</sup> Meridian in Indiana, has been compared with the original in this office and found to be correct.

Surveyor General's Office  
Detroit Nov. 1, 1849.

Lucius Lyon,  
Sur. Genl.